

#### **SECTION 1 IDENTIFICATION**

**Product Name** SENTINEL\* PVC roofing accessories; Molded Corners, Prefabricated Corners,

Universal Corner, T-Joint Patches, Pipe Flashing, Boot Flashing, Profile Bar and

Walkway Pad

Manufacturer Performance Roof Systems

Address 4821 Chelsea Avenue

Kansas City, MO 64130

**Phone Number** (800) 727-9872

**Emergency Number** (800) 424-9300 (CHEMTREC)

## **SECTION 2 HAZARDS**

#### GHS Classification

As defined in the OSHA Hazard Communication Standard, 29 CFR 1910.1200, the products listed below are considered articles and do not require an SDS. In addition, articles are not included in the scope of the Globally Harmonization System (GHS). As such, the GHS labeling elements are not included on this SDS. All components listed for this product are bound within the product. When handled as intended and under normal conditions of use, there is no evidence that any of the ingredients are released in amounts that pose a significant health risk. Although these products are not subject to the OSHA Standard or GHS labeling elements, DERBIGUM would like to disclose as much health and safety information as possible to ensure that this product is handled and used properly. This SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and be made available for employees and other users of this product. In addition, the recommendations for handling and use of these products should be included in worker training programs.

# **Precautionary Statements**

- P201 Obtain special instructions before use
- P202 Do not handle until all safety precautions have been read and understood
- P210 Keep away from open flames. NO SMOKING
- P260 Do not breathe fume, gas, vapors
- P264 Wash hands, forearms and face thoroughly after handling
- P270 Do not eat, drink or smoke when using this product
- P273 Avoid release into the environment
- P280 Wear protective gloves and clothing

# Response

- P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.
- P303+P361+P353 If on skin (or hair), Take off immediately all contaminated
  - clothing. Rinse skin with water/shower
- P303+P340 If inhaled, remove person to fresh air and keep comfortable for breathing P305+P351+P338 If in eyes: rinse cautiously with water for several minutes. Remove
  - contact lenses, if present and easy to do. Continue rinsing
- P314 Get medical advice/attention if you feel unwell
- P370+P378 In case of fire: Use carbon dioxide (CO2), foam, dry extinguishing
  - powder to extinguish

#### **Storage**

P403+P235 - Store in well-ventilated place. Keep cool

**Disposal** 

P501 - Dispose of contents and/or container in accordance with local, regional and

national regulations

ABBREVIATION KEY



#### **SECTION 3 COMPOSITION**

## **Chemical Composition**

COMPONENT	CAS NUMBER	PERCENT BY WEIGHT
Antimony trioxide	1309-64-4	1 - 5
Titanium Dioxide <sup>1</sup>	13463-67-7	1 - 5
Carbon Black <sup>1</sup>	1333-86-4	<2

Note: The above components and their percentages are provided for health and safety purposes, ONLY. This document should not be construed as a guaranteed analysis of any specific lot or as specifications for the product.

<sup>&</sup>lt;sup>1</sup> Component is not likely to occur above the limits of exposure considering its incorporated into the mixture and/or provided use.

CECTION	A CIDOT	AID MEASURES	
SECTION	4 FIRST	AIIIIVICAGUREG	

If foreign matter enters eyes, immediately flush with large amounts of potable water for **Eyes** 

at least 15 minutes or until irritation subsides. Get medical attention if irritation persists.

Skin Remove contaminated clothing and wash with soap and water.

Inhalation Remove affected person from source of exposure. If not breathing, institute

cardiopulmonary resuscitation (CPR). If breathing is difficult, give oxygen.

Get medical attention.

First-Aid, Ingestion Consult a physician if unusual reaction is noted. Product is not intended nor is it

likely to be ingested or eaten.

Symptoms, Acute & Delayed

Immediate Medical Attention

Refer to Section 11 - Toxicological Information

All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials

#### **SECTION 5** FIRE FIGHTING MEASURES

**Flash Point** Not Available

**Hazardous Products** of Combustions

Hydrogen Chloride gas, Carbon Monoxide, Carbon Dioxide.

**Extinguishing Media** Dry chemical, Carbon Dioxide, water spray or foam.

**Protection Gear** Do not enter fire area without proper protective equipment, including

respiratory protection.

#### **SECTION 6** ACCIDENTAL RELEASE MEASURES

**Personal Precautions** Use personal protective equipment as required during use. Evacuate unnecessary

personnel. Avoid breathing dust/fumes/gas/mist/vapors/spray during hot-air welding.

**Environmental Precautions** N/A solid sheeting

Method and Materials for **Containment & Clean Up** 

N/A solid sheeting

ABBREVIATION KEY



#### **SECTION 7 HANDLING AND STORAGE**

**Handling**Use this product with adequate ventilation. Avoid breathing dusts or fumes generated

from cutting or heating this material. Wash thoroughly after handling. *Use personal* 

protective equipment as described in Section 8.

**Storage** Store indoors in a cool, dry, well-ventilated area. Do not handle or store near an open

flame, heat or other sources of ignition. This product will react with strong oxidizing

agents, reducing agents, strong acids and alkali

#### **SECTION 8** EXPOSURE CONTROLS AND PERSONAL PROTECTION

### **Occupational Exposure Limits**

COMPONENT	CAS NUMBER	OSHA PEL	ACGIH TLV	NIOSH
Antimony trioxide	1309-64-4	0.5 mg/m³ TWA	0.5 mg/m³ TWA	0.5 mg/m³ TWA
Carbon Black	1333-86-4	3.5 mg/m³ TWA	3.0 mg/m³ TWA	3.5 mg/m³ TWA
Titanium Dioxide	13463-67-7	15 mg/m³ TWA	10 mg/m³ TWA	N/A

### PERSONAL PROTECTIVE EQUIPMENT

**Pictographs** 







Eyes/Face Safety glasses with side shields

Follow the national guidelines concerning the use of protective eye wear.

Hand Protective Gloves

Leather or cotton gloves may be worn to prevent skin contact and irritation.

**Skin/Body**Normal work clothing (long sleeved shirts, long pants and smooth bottom work

shoes) is recommended.

**Inhalation** Use NIOSH or MSHA approved respiratory protective equipment when airborne

exposure limits are exceeded.

#### **SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES**

Physical State Solid

**Appearance** variable in color, depending on the composition

Odor
Odor Threshold
PH
No data available
Auto-ignition Temperature
No data available

ABBREVIATION KEY

NIOSH = National Institute for Occupational Safety
OSHA = Occupational Safety & Health Administration

ACGIH = American Conference of Governmental Industrial Hygiene MSHA = Mine Safety and Health Administration

PEL = Permissible Exposure Level TLV = Threshold Limit Value

TWA = Time-Weighted Averages are based on 8h/day, 40h/week exposures



#### **SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES**

**Decomposition Temperature** No data available

Specific Gravity ( $H_20 = 1$ ) 1.2 - 1.3

Vapor pressureNo data availableVapor Density (AIR=1)No data availableSolubility in WaterInsoluble

#### **SECTION 10 STABILITY AND REACTIVITY**

Stability Stable at room temperature in closed containers under advised storage and

handling conditions.

**Reactivity** Upon combustion CO and CO<sub>2</sub> are formed

**Conditions to Avoid**Strong oxidizers, no spark or open flame, direct sunlight and high temperatures

Hazardous Decomposition Carbon monoxide, carbon dioxide, hydrogen sulfide and sulfur dioxide

Hazardous Polymerization Will not occur

#### **SECTION 11 TOXICOLOGICAL INFORMATION**

#### POTENTIAL HEALTH EFFECTS

Eyes

**Acute** (*Immediate*) Mechanical irritation may occur in contact with particles.

Chronic (Delayed) No data available

Skin

**Acute (Immediate)** May cause irritation to the skin.

Chronic (Delayed) No data available

Inhalation

**Acute** (*Immediate*) May cause irritation to the respiratory tract.

Chronic (Delayed) No data available

Ingestion

**Acute** (Immediate) Product is not intended nor is it likely to be ingested or eaten.

Chronic (Delayed) No data available

**Component Analysis** 

COMPONENT	CAS NUMBER	ORAL LD50 (mg/kg)	DERMAL LD50 (mg/kg)	INHALATION LC50 (mg/L)
Antimony trioxide	1309-64-4	>34,600 (rat)	>8,300 (rabbit)	> 5.2 (rat) 4 hr
Carbon Black	1333-86-4	>8,000 (rat)	N/A	N/A
Titanium Dioxide	13463-67-7	>2,000 (rat)	N/A	> 5.09 (rat) 4 hr



#### **SECTION 11 TOXICOLOGICAL INFORMATION**

**Component Carcinogenicity** Antimony trioxide (1309-64-4)

IARC: Group 2B - Possible Carcinogen

Titanium dioxide (13463-67-7)

IARC: Group 2B - Possible Carcinogen

Carbon black (1333-86-4)

IARC: Group 2B - Possible Carcinogen

**Carcinogenicity** According to IARC, No significant exposure to Antimony trioxide, Titanium dioxide

and Carbon black should occur because these components are bound in the

polymer matrix and dust exposure would not be expected

**Mutagenicity** Based on available data, the classification criteria are not met.

**STOT Single Exposure**Based on available data, the classification criteria are not met.

STOT Repeated Exposure Based on available data, the classification criteria are not met.

**Eco toxicity** 

COMPONENT	CAS NUMBER	FISH LC50 (mg/L)	DAPHNA EC50 (mg/L)	ALGAE EC50 (mg/L)	
Antimony trioxide	1309-64-4	>14.4 (fathead minnow) 96 Hours	>69 (Water flea) 48 Hours	>36.6 (algae) 72 hours	
Carbon Black	1333-86-4	>1,000 (zebra fish) 96 Hours	>5,600 (Water flea) 24 Hours	>10,000 (Water flea) 24 Hours	

Persistence & Degradability No Data
Soil Absorption/Mobility No Data

Ozone-Depletion Potential

This product neither contains, nor was manufactured with a Class I or Class II ODS

as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B)

#### **SECTION 13** DISPOSAL CONSIDERATIONS

**Disposal Methods:** The transportation, storage, treatment and dispose of this waste must be conducted

in accordance with all applicable federal, state and local regulations.

### **SECTION 14 TRANSPORT INFORMATION**

**Transportation Regulations** This product is not regulated as a hazardous material in transportation.



#### **SECTION 15 REGULATORY INFORMATION**

**TSCA Inventory**Components are listed
Components are listed

Sara 302 None

**Sara 304** Antimony trioxide (1309-64-4); 1,000 lb

Sara 311/312 Categories Chronic Health Hazard

**Sara 313** Antimony trioxide (1309-64-4);

Clean Air Act This product does not contain any hazardous air pollutants (HAP), as defined by

the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

**CA Proposition 65** WARNING: This product can expose you to chemicals including titanium dioxide,

carbon black, and Antimony trioxide which are known to the State of California to

cause cancer. For more information, go to www.P65Warnings.ca.gov.

# **Right to Know States**

COMPONENT	CAS NUMBER	MA	MN	ИJ	PA	RI
Antimony trioxide	1309-64-6	Yes	No	Yes	Yes	Yes
Carbon Black	1333-86-4	Yes	No	Yes	Yes	Yes
Titanium Dioxide	13463-67-7	Yes	Yes	Yes	Yes	Yes

#### **SECTION 16 OTHER INFORMATION**

Preparation Date January 2021
Revision Date January 2022
Summary of Changes Branding update

**Disclaimer**The information and recommendations contained herein are to the best of

Performance Roof Systems' knowledge and belief, accurate and reliable as of the date issued. Performance Roof Systems does not warrant or guarantee their accuracy or reliability, and Performance Roof Systems shall not be liable for any

loss or damage arising out of the use thereof.

The information and recommendations are offered for the users consideration and examination, and it is the user's responsibility to satisfy itself that they are suitable and complete for its particular use. It is also the users responsibility to make certain that it is relying upon the most recent, updated, information and recommendations

available from Performance Roof Systems.